Rittal – The System.

Faster – better – everywhere.





SK 3286.410 Metal filter

State: 02/01/2025 (Source: rittal.com/sg-en)

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

ENCLOSURES

SK 3286.410 - Metal filter

We recommend the use of washable metal filters, particularly in environments with dusty or oily ambient air. If air or steam condenses on the metal surfaces, any particles that may be present will adhere to the metal and are easily washed out with water or grease-dissolving detergents.

Features

Model No.	SK 3286.410
Product description	Particularly when cooling units are used in dusty and oily environments, it is advisable to use washable metal filters. If air or steam condenses on the metal surfaces, any particles present will adhere to the metal, and can easily be washed out with water or grease-dissolving detergents.
Material	Aluminium
To fit Model No.	3304.xx0
	3305.xx0
	3328.xx0
	3329.xx0
	3332
	3366
	3127.100
	3127.115
	3128.100
	3128.115
	3129.100
	3129.115
	3130.100
	3130.115
	3360.100
Dimensions	Width: 344 mm
	Height: 268 mm
	Depth: 10 mm
Weight/pack	0.38 kg
Packs of	1 pc(s).
Net weight	0.3

Features

Gross weight	0.3
Customs tariff number	76169100
EAN	4028177325395
E-Number Sweden	E3404579
ETIM 9	EC002513
ETIM 8	EC002513
ECLASS 8.0	27180706

Approvals

Certificates

EAC