

Reversing contactor assembly AC-3, 4 kW/400 V, 3-pole Size S00,
Screw terminal 24 V DC Electrical and mechanical interlock !!!
Phased-out product !!! Successor is SIRIUS 3RA2 Preferred
successor type is >>3RA2316-8XB30-1BB4<<



Figure similar

Size of contactor	S00
Product function	Reversing contactor
Protection class IP on the front	IP20
Reference code acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750	K
Reference code acc. to DIN EN 81346-2	Q
Reference code acc. to DIN EN 61346-2	Q
Operating current at AC-3 at 400 V rated value	9 A
Operating power at AC-3 at 400 V rated value	4 kW
Type of voltage of the control supply voltage	DC
Control supply voltage 1 • at DC rated value	24 V
Number of NC contacts for auxiliary contacts per direction of rotation	0
Number of NO contacts for auxiliary contacts per direction of rotation	0
Mounting type	screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022
Height	67 mm

Width	90 mm
Depth	72 mm
Type of electrical connection for main current circuit	screw-type terminals

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA1316-8XB30-1BB4>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA1316-8XB30-1BB4>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA1316-8XB30-1BB4>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)


http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA1316-8XB30-1BB4&lang=en


Characteristic: Tripping characteristics, I^2t , Let-through current

<https://support.industry.siemens.com/cs/ww/en/ps/3RA1316-8XB30-1BB4/char>

Further characteristics (e.g. electrical endurance, switching frequency)

<http://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RA1316-8XB30-1BB4&objecttype=14&gridview=view1>





last modified:

02/07/2020