SPECTRO Series

SPECTRO-3-28-45°/0°-JR

- Measuring range (object distance) typ. 28 mm ± 3 mm
- Detection range typ. Ø 10 mm (or Ø 6 mm with type ...-d5-JR)
 Reduction of gloss effect (45°/0° method)
- Reduction of gloss effect (45 /0 method)
 Ring light illumination (no angular dependence during
- rotation of objects in standard direction)
- Up to 31 colors can be stored
- RS232 interface (USB or Ethernet converter available)
- 24x super-bright white-light LED, diffuse (AC-/DC-/PULSEoperation or OFF for luminous objects can be switched)
- Color detection, contrast detection, and gray scale detection
- Insensitive to outside light (in AC- or PULSE-operation)
- Brightness correction can be activated (STAT/DYN)
- Scan frequency max. 35 kHz (in DC- or OFF-operation)
- Switching frequency max. 60 kHz
- TEACH via PC or PLC (external input)
- Various evaluation algorithms can be activated
- "BEST HIT" mode ("human color assessment")
- Parameterizable via Windows® software, scope function
- Temperature compensated
- Averaging can be activated (from 1 up to over 32000 values)
- Color control of luminous objects (LEDs, halogen lamps, displays, ...)
- 3-color filter detector (true color detector: "human color perception")



Design

Product name:


Receiver optics incl. 3-color filter detector SPECTRO-3-28-45°/0°-JR (True Color), scratch-resistant optics SPECTRO-3-28-45°/0°-d5-JR cover made of glass (incl. Windows® software SPECTRO3-Scope and SPECTRO3-COMFORT-Scope) Transmitter optics with 24x white-light d5 = By use of an aperture Ø 5 mm the detection range LED, scratch-resistant optics cover at the working distance of 28 mm will be reduced made of glass to typ. Ø 6 mm. Ø Ø Mounting possibilitiy Sturdy aluminum housing, anodized in Ø black 8-pole fem. connector 4-pole fem. connector Binder Series 712 Mounting possibilities Binder Series 707 (connection to PLC) (partly threaded M4) (RS232 interface) Connecting cable: cab-las8/SPS Connecting cable: cab-las4/PC or cab-4/USB or cab-4/ETH Sensor


Instruments


Technical Data


Model	SPECTRO-3-28-45°/0°-JR	SPECTRO-3-28-45°/0°-d5-JR				
Voltage supply	+24VDC (± 10%), reverse polarity protected, overcurrent protected					
Current consumption	< 500 mA					
Max. switching current	100 mA, short circuit proof					
Input digital (1x)	IN0 (Pin 3), digital (0V/+24V)					
Outputs digital (5x)	OUT0 OUT4 (Pin 4 8): digital (0V/+24V), npn-/pnp-able (bright-/dark-switching, can be switched)					
Interface	R\$232					
Pulse lengthening	0 100 ms, adjustable via PC software					
Averaging	max. 32768 values, adjustable via PC software					
Scan frequency	LED operation, can be switched via PC software: AC operation: max. 20 kHz (depends on parameterization) DC and OFF operation: max. 35 kHz (depends on parameterization) PULSE operation: max. 5 kHz (depends on parameterization)					
Switching frequency	max. 60 kHz					
Transmitter (light source)	24 super-bright white-light LED, focused					
Transmitter control	can be switched via PC software: AC operation (LED MODE-AC), DC operation (LED MODE-DC), OFF operation (LED MODE-OFF) or PULSE operation (LED MODE-PULSE)					
Measuring range (object distance)	typ. 28 mm ± 3 mm					
Receiver	3-color filter detector (TRUE COLOR detector, "human color perception"), color filter curves acc. to CIE 1931					
Receiver gain setting	8 steps (AMP1 AMP8), adjustable via PC software					
Ambient light	max. 5000 Lux					
Detection range	typ. Ø 10 mm at distance 28 mm	typ. Ø 6 mm at distance 28 mm				
Reproducibility	in the X, Y color range each 1 digit at 12-bit A/D conversion					
Temperature drift X,Y	ΔΧ/ΔΤ; ΔΥ/ΔΤ typ. 0,2 digits/°C (< 0,01% / °C)					
Color difference	$\Delta E >= 0.5$					
Color space	X Y INT siM (Lab)					
Color memory capacity	non-volatile EEPROM with parameter sets for max. 31 colors					
Housing dimensions	LxWxH approx. 100 mm x 100 mm x 40 mm (without flange connectors)					
Housing material	aluminum, anodized in black					
Enclosure rating	IP64					
Connecting cables	to PLC: cab-las8/SPS or cab-las8/SPS-w to PC/RS232 interface: cab-las4/PC or cab-las4/PC-w to PC/USB interface: cab-4/USB or cab-4/USB-w to PC/Ethernet interface: cab-4/ETH					
Type of connector	connection to PLC: 8-pole fem. connector (Binder 712)	connection to PLC: 8-pole fem. connector (Binder 712), connection to PC: 4-pole fem. connector (Binder 707)				
Operating temp. range	-20°C	. +55°C				
Storage temperature range	-20°C +85°C					
I	20 0					


Sensor N













Sensor .

All dimensions in mm



Instruments



Measuring Principle

Measuring principle of the color sensors of SPECTRO-3 series:

The SPECTRO-3 provides highly flexible signal acquisition. For example, the sensor can be operated in alternating-light mode (AC mode), which makes the sensor insensitive to extraneous light. It also can be set to constant-light mode (DC mode), which makes the sensor extremely fast and allows a scan-frequency of up to 35 kHz. An OFF function turns off the integrated light source at the sensor and changes to DC operation. The sensor then can detect so-called "self-luminous objects". In PULSE operation extremely dark surfaces can be reliably detected. With the stepless adjustment of the integrated light source as well as the selectable gain of the receiver signal and an INTEGRAL function the sensor can be set to almost any surface or any "self-luminous object".

When the integrated light source of the SPECTRO-3 color sensor is activated, the sensor detects the radiation that is diffusely reflected from the object. As a light source the SPECTRO-3 color sensor uses a white-light LED with adjustable transmitter power. An integrated 3-fold receiver for the red, green, and blue content of the light that is reflected from the object, or the light that is emitted by a "self-luminous object", is used as a receiver.

The SPECTRO-3 color sensor can be "taught" up to 31 colors. For each of these taught colors it is possible to set tolerances. In "X Y INT - 2D" or "s i M - 2D" mode these tolerances form a color cylinder in space. In "X Y INT - 3D" or "s i M - 3D" mode the tolerances form a color sphere in space. Color evaluation according to "s i M - 2D" is based on the lab calculation method. All modes can be used in combination with several operating modes such as "FIRST HIT" and "BEST HIT". Raw data are represented with 12 bit resolution.

As a special feature the sensor can be taught two completely independent parameter sets. Input INO can then be used to tell the sensor which parameter set it should work with.

Color detection either operates continuously or is started through an external PLC trigger signal. The respective detected color either is provided as a binary code at the 5 digital outputs or can be sent directly to the outputs, if only up to 5 colors are to be detected. At the same time the detected color code is visualised by means of 5 LEDs at the housing of the SPECTRO-3. [Please note: Visualisation by means of LEDs not available with SPECTRO-3-...-JR types.]

With a TEACH button at the sensor housing the color sensor can be taught up to 31 colors. For this purpose the corresponding evaluation mode must be set with the software. The TEACH button is connected in parallel to the input IN0 (green wire at cable cab-las8/SPS). [Please note: TEACH button not available with SPECTRO-3-...-JR types.]

Parameters and measurement values can be exchanged between a PC and the SPECTRO-3 color sensor through the serial RS232 interface. All the parameters for color detection also can be saved to the non-volatile EEPROM of the SPECTRO-3 color sensor through this serial RS232 interface. When parameterisation is finished, the color sensor continues to operate with the current parameters in STAND-ALONE mode without a PC.

The sensors of the SPECTRO-3 series can be calibrated (white-light balancing). Balancing can be performed to any white surface. A ColorChecker[™] table with 24 color fields is available as an alternative. White-light balancing or calibration can be performed to one of the white fields.



Parameterization

Windows® user interface:

(The current software version is available for download on our website.)

The color sensor is parameterized under Windows® with the SPECTRO3-Scope software. The Windows® user interface facilitates the teach-in process at the color sensor and supports the operator in the task of adjustment and commissioning of the color sensor. Moreover, the software features a data recorder function that allows the automatic recording of recorded data and the saving of those at the hard disk of the PC.

ACH REC CALIB GEN SCOPE		•			_		numeric form and color chart, and
CONNECT PARA1 PARA2	×	RGB INTENSITY	20 F	ED 0	GRN 0	BLUE 0	representation of values in a time of
WER MODE STATIC V SET DP	Y	10025 -					In addition the cu
		9000 -					RGB values are
0 500 1000	INT	- 0008					displayed as a back chart.
D MODE AC OYNWIN HI 3300	0	7000 -					
IN AMP6 DYNWIN LO 3200	DP SET	6000 -					
ERAGE 1 VINTEGRAL 1	0	5000 -					
		4000 -					
VXCOL-No. 🚽 1	delta C	100000					
JTMODE DIRECT HI	-1	3000 -					
TLIM 0	C-No:	2000 -					
ALUATION MODE BEST HIT	0	1000 -					
		-25-1	*****	con0	0000 10	has	
		-25 20	00 4000	6000	8000 100	025	
TEACH OFF TRIGGER CONT		6	1.44 C			t i i i	

Parameters and measurement values can be exchanged between PC and sensor either through RS232 or Ethernet (using an Ethernet adaptor). Through the interface all the parameters can be stored in the non-volatile EEPROM of the sensor. Tab PARA1 and PARA2 are used for setting parameters such as:

 POWER MODE: LED MODE: GAIN: AVERAGE: INTEGRAL: 	Light power of the LED Triggering of the internal light source Used for setting the gain of the receiver Averaging over a maximum of 32768 values This function field is used to set the number of scan values (measurement values) over which the raw signal measured at the receiver is summed up. This integral function allows the reliable detection even of extremely weak signals
- MAXCOL-No.:	Number of colors to be checked
- OUTMODE:	Triggering of the digital outputs
- INTLIM:	Minimum intensity required for color evaluation
- EVALUATION MODE:	Various evaluation modes to choose from (FIRST HIT, BEST HIT, MIN DIST, COL5, THD RGB)
- CALCULATION MODE:	There are 2 methods of teaching a color, which are selectable via CALCULATION MODE.
	The CALCULATION MODE "X Y INT - 3D" (or "s i M - 3D") uses a color sphere in space with
	radius TOL. Contrary to this, the CALCULATION MODE "X Y INT - 2D" (or "s i M - 2D") uses a color
	cylinder in space with radius CTO or siTO and with height ITO or M. The teach process is the same
	for both methods. Color evaluation according to "s i M - 2D" uses the Lab calculation method
- EXTEACH:	In all the evaluation modes teaching of a color can be performed externally through IN0 or by means
	of the button at the sensor housing [Please note: TEACH button not available with SPECTRO-3JR
	types.]
- TRIGGER:	Continuous or external or self trigger

Sensor

PROGRAM LOADER V4.1 - 🗆 🗙 - 🗆 🗙 ESTAE 😹 FIRMWARE LOADER V1.1 SELECT COMPORT [1...256] 🛛 🌻 🗾 FIR SELECT COMPORT [1...256] BAUDRATE 115200 TRY TO CONNECT READ FIRMWARE FROM DISK ARM PROGRAM LOADER READ FIRMWARE FROM DISK CLEAR WINDOW It is STRONGLY recommended to UPDAT SPECTRO3 V3.2 RT:KW09/10 DISARM FIRMWARE LOADER ARM FIRMWARE LOADER IT IS STRONGLY RECOMMENDED TO UPDATE THE FIRMWARE ACCORDING TO THE MANUAL! FILE LOADED: d:\Work_Released_S_Record_Files\Wor re_Files_Spectro3V3x_To_Spectro3V33\I 3V33.ini SPECTRO3 V4.0 RT May 09 2012 FILE LOADED. ILLCOVDED: d\Work_Released_S_Record_Files\Work_Released_Firmware_Initial_Files\Spectro3\Firmware_Files_S pectro3\V4x_To_Spectro3\V41\Firmware_Update_IniFile_Spectro3\V4x_To_Spectro3\V41.ini Initial file for firmware update from old versi Spectro3 V3 x to new version Spectro3 V3.3 Initial file for firmware update from version: Spectro3 V4 x to version: Spectro3 V4.1 FILE READ OK! PRESS ARM FIRMWARE LOADER TO S FILE READ OK! PRESS ARM FIRMWARE LOADER TO START FIRMWARE UPDATE CREAT READ EEPROM DATA FROM SENS d:\Mist\EEI READ EEPROM DATA FROM SENSOR SAVE EEPROM DATA TO SENSOR EEPROM TRANSFER 1 EEPROM TRANSFER FILE d:\BackupFiles\EEPROM_Backup 1131.dat

The software "ProgramLoader" or "FirmwareLoader" allows the user to perform an automatic firmware update. The update will be carried out through the RS232 interface.

An initialisation file (xxx.ini) and a firmware file (xxx.elf.S) are required for performing a firmware update. These files can be obtained from your supplier. In some cases an additional firmware file for the program memory (xxx.elf.p.S) is also needed, and this file will be automatically provided together with the other two files.

