

Product data sheet

Specifications



Pragma surface enclosure - IP30 - 4 x 18 modules - without door

PRA13754

! To be discontinued on: 31 October 2023

! To be discontinued

Main

Range	Pragma
Product or component type	Enclosure
Enclosure type	Distribution enclosure
Width	426 mm outside:
Height	750 mm
Depth	125 mm
Nb of 18 mm modules per row	18
Nb of horizontal rows	4
Electrical insulation class	Double insulation Class II
Provided equipment	1 x identification label 1 x marking kit 1 x blanking plate strip 3 x terminal block
Type of door	Without

Complementary

Enclosure mounting	Surface
9 mm pitches	36
Total number of 18 mm modules	72
Power dissipation in W	64 W
[In] rated current	125 A
Type of rail	DIN
Cable entry	Removable plates Trunking Cut-out plates Cable or tube
Comb busbar and distribution block compatibility	XE compatible
Number of terminal blocks	1 earth (Quick) with 38 outgoers 2 phase / neutral (Quick) with 7 outgoers
Distribution block outgoers	6 x 25 mm ² for earth 32 x 4 mm ² for earth 2 x 35 mm ² for phase / neutral 12 x 16 mm ² for phase / neutral

Enclosure material	Back part: technoplastic Front face: technoplastic
Colour	Enclosure: white (RAL 9016) Front face: white (RAL 9016)
Targeted country	France

Environment

Fire resistance	Back part: 750 °C Front face: 750 °C
IP degree of protection	IP30 without door IP40 with door
IK degree of protection	IK08 without door IK09 with door
Overvoltage category	II
Ambient air temperature for operation	-25...60 °C
Standards	IEC 60670-1 IEC 60670-24 IEC 61439-1 IEC 61439-3

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.0 cm
Package 1 Width	51.0 cm
Package 1 Length	82.0 cm
Package 1 Weight	5.75 kg
Unit Type of Package 2	P12
Number of Units in Package 2	15
Package 2 Height	120.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	108.9 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months
-----------------	-----------

Recommended replacement(s)