

Product data sheet

Specifications



Limit switch head, Limit switches XC Standard, ZCKD, without lever spring return left and or right actuation

ZCKD05

Main

| | |
|----------------------------------|--|
| Range of product | Telemecanique Limit switches XC Standard |
| Series name | Standard format |
| Product or component type | Limit switch head |
| Device short name | ZCKD |
| Head type | Rotary head |
| Product compatibility | XCKS XCKM XCKL |
| Associated lever | ZCKY39 ZCKY33 ZCKY91 ZCKY43 ZCKY59 ZCKY54 ZCKY81 ZCKY31 ZCKY55 ZCKY41 ZCKY49 ZCKY34 |
| Associated body | ZCKMD37H7 ZCKMD37H29 ZCKM1H29 ZCKL7H7 ZCKM1 ZCKL1 ZCKSD39H29 ZCKL8H7 ZCKSD37 ZCKM5H7 ZCKSD31H29 ZCKMD31H29 ZCKSD31 ZCKLD35H7 ZCKM6H29 ZCKLD31H7 ZCKMD37 ZCKLD39 ZCKS7 ZCKLD39H7 ZCKL1H7 ZCKM5 ZCKS404H29 ZCKMD39H29 ZCKS8 ZCKMD35 ZCKM9 ZCKS2 ZCKMD35H7 ZCKL7 ZCKM6 ZCKM8H7 ZCKL5 ZCKLD37H7 |

ZCKMD39H7
 ZCKSD35H29
 ZCKS7H29
 ZCKS6H29
 ZCKSD37H29
 ZCKS1H29
 ZCKL6
 ZCKM9H29
 ZCKM7
 ZCKSD35
 ZCKLD37
 ZCKM7H29
 ZCKS9H29
 ZCKS9
 ZCKMD31H7
 ZCKS8H29
 ZCKM6H7
 ZCKM1H7
 ZCKLD31
 ZCKM8H29
 ZCKS5
 ZCKS1
 ZCKL8
 ZCKS2H29
 ZCKL6H7
 ZCKM7H7
 ZCKL5H7
 ZCKMD35H29
 ZCKMD31
 ZCKLD35
 ZCKM8
 ZCKMD39
 ZCKS5H29
 ZCKS6
 ZCKM5H29
 ZCKSD39

| | |
|-----------------------------------|---|
| Movement of operating head | Rotary |
| Type of operator | Without operating lever spring return |
| Type of approach | Lateral approach, 1 or 2 programmable direction |

Complementary

| | |
|-------------------------|---|
| Switch actuation | From left and/or right CW and/or CCW |
| Positive opening | Without With |
| Head material | Plastic |

Environment

| | |
|--|----------------------|
| Ambient air temperature for operation | -25...70 °C |
| Ambient air temperature for storage | -40...70 °C |
| Environmental characteristic | Standard environment |

Packing Units

| | |
|-------------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 6.400 cm |
| Package 1 Width | 3.400 cm |
| Package 1 Length | 7.700 cm |
| Package 1 Weight | 74.000 g |
| Unit Type of Package 2 | S01 |
| Number of Units in Package 2 | 28 |
| Package 2 Height | 15.000 cm |
| Package 2 Width | 15.000 cm |

| | |
|------------------------------|-----------|
| Package 2 Length | 40.000 cm |
| Package 2 Weight | 2.356 kg |
| Unit Type of Package 3 | P06 |
| Number of Units in Package 3 | 896 |
| Package 3 Height | 77.000 cm |
| Package 3 Width | 80.000 cm |
| Package 3 Length | 60.000 cm |
| Package 3 Weight | 81.108 kg |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Recommended replacement(s)