



Image may differ from product. See technical specification for details.

# NUKRE 47 A

Cam follower (stud-type track roller) with eccentric collar, integral sealing and relubrication feature

Cam followers (stud-type track rollers) are designed to run on all types of tracks and to be used in cam drives, conveyor systems, etc. They are based on a double row full complement cylindrical roller bearing with a threaded solid stud instead of an inner ring. The design includes an eccentric collar pressed onto the stud, and a thick-walled outer ring with a crowned running surface. The bearings are supplied sealed and ready-to-mount, and can be relubricated via the stud.

- High radial load carrying capacity
- · Accommodate relatively heavy axial loads due to skew or tilting
- Long service life
- Easy to mount
- Sealed for increased reliability, with relubrication feature

### Overview

#### Dimensions

Functional outside diameter	1.85 in
Stud diameter	0.945 in
Length	2.598 in
Width, outer ring	0.945 in

#### Performance

Basic dynamic load rating	6 430 lbf
Basic static load rating	7 531 lbf
Limiting speed	3 800 r/min


### Properties

Rolling elements	Cylindrical rollers
Number of rows	2
Outer ring profile	Crowned
Stud alignment	Centric stud with eccentric collar
Number of flanges, outer ring	2
Feature for tightening	Hexagonal recess
Cage	Without
Radial internal clearance	Between C2 and CN
Tolerance class	Other
Material, bearing	Bearing steel
Coating	Without
Sealing	Seal on both sides
Sealing type	Labyrinth
Lubricant	Grease
Relubrication feature	Centre of each stud end

# Logistics

Product net weight	1.024 lb
eClass code	23-05-09-03
UNSPSC code	31171512

## Technical specification



### Dimensions

D	1.85 in	Outside diameter
d	0.945 in	Attachment diameter
В	2.598 in	Total length
С	0.945 in	Width outer ring
B <sub>1</sub>	1.594 in	Length shank on stud
B <sub>2</sub>	0.354 in	Distance lubrication hole to flange ring
B <sub>3</sub>	0.709 in	Width locking collar
C <sub>1</sub>	0.031 in	Distance face outer ring to face side washer
d1	1.063 in	Outside diameter flange ring
G	M 20x1.5	Thread stud
G <sub>1</sub>	0.827 in	Length thread
Μ	0.236 in	Seat diameter for lubrication accessories
M <sub>1</sub>	0.157 in	Diameter of lubrication hole (shank)
SW	0.394 in	Width across flats
С	0.039 in	Eccentricity
r <sub>1,2</sub>	min. 0.039 in	Chamfer dimension

#### Calculation data

Basic dynamic load rating	С	6 430 lbf
Basic static load rating	C <sub>0</sub>	7 531 lbf
Fatigue load limit	P <sub>u</sub>	877 lbf
Maximum dynamic radial loads	Fr	max. 3 957 lbf
Maximum static radial loads	F <sub>0r</sub>	max. 5 620 lbf
Limiting speed		3 800 r/min

### Mounting information

Recommended tightening torque	1 062.089 lbf·in	
Included products		
Grease fitting	NIP A2x7.5	
Hexagonal nut	M 20x1.5	

#### Associated products

Lubrication adapter

AP 10

### More Information

Product details	Engineering information	in Tools
Designs and variants		SKF Product select
Accessories	Principles of rolling bearing selection	Bearing Frequency Calculator
Lubrication	General bearing knowledge	SimPro Quick
General cam follower specifications	Bearing selection process	LubeSelect for SKF greases
Loads	Bearing interfaces	
Temperature limits	Lubrication	
Speed limits	External sealing, mounting and dismounting	
Design considerations	Bearing failure and how to prevent it	
Mounting		
Designation system		



## Terms of use

By accessing and using this website / app owned and published by AB SKF (publ.) (556007-3495 · Gothenburg) ("SKF"), you agree to the following terms and conditions:

#### Warranty Disclaimer and Limitation of Liability

Although every care has been taken to assure the accuracy of the information on this website / app, SKF provides this information "AS IS" and DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. You acknowledge that your use of this website / app is at your sole risk, that you assume full responsibility for all costs associated with use of this website / app, and that SKF shall not be liable for any direct, incidental, consequential, or indirect damages of any kind arising out of your access to, or use of the information or software made available on this website / app.

Any warranties and representations in this website / app for SKF products or services that you purchase or use will be subject to the agreed upon terms and conditions in the contract for such product or service.

Further, for non-SKF websites / apps that are referenced in our website / app or where a hyperlink appears, SKF makes no warranties concerning the accuracy or reliability of the information in these websites / apps and assumes no responsibility for material created or published by third parties contained therein. In addition, SKF does not warrant that this website / app or these other linked websites / apps are free from viruses or other harmful elements.

#### **Third Party Services**

When viewing YouTube content via the SKF website(s) (i.e. using YouTube API Services), you agree to be bound by the YouTube Terms of Service.

#### Copyright

Copyright in this website / app copyright of the information and software made available on this website / app rest with SKF or its licensors. All rights are reserved. All licensed material will reference the licensor that has granted SKF the right to use the material. The information and software made available on this website / app may not be reproduced, duplicated, copied, transferred, distributed, stored, modified, downloaded or otherwise exploited for any commercial use without the prior written approval of SKF. However, it may be reproduced, stored and downloaded for use by individuals without prior written approval of SKF. Under no circumstances may this information or software be supplied to third parties.

This website /app includes certain images used under license from Shutterstock, Inc.

#### **Trademarks and Patents**

All trademarks, brand names, and corporate logos displayed on the website / app are the property of SKF or its licensors, and may not be used in any way without prior written approval by SKF. All licensed trademarks published on this website / app reference the licensor that has granted SKF the right to use the trademark. Access to this website / app does not grant to the user any license under any patents owned by or licensed to SKF.

#### Changes

SKF reserves the right to make changes or additions to this website / app at any time.