# **Product datasheet**

Specifications



() Discontinued

## fuse-disconnector SBI - 2 poles - 50 A - for fuse 14 x 51 mm

Local distributor code: 399375488

MGN15710

() Discontinued on: 31 Jan 2023

#### EAN Code: 3303432402969

#### Main

Range	Acti9
Product Name	Acti9 SBI
Product Or Component Type	Fuse-disconnector
Device Short Name	SBI
Poles Description	2P

#### Complementary

[In] Rated Current	10 A 16 A 20 A 25 A 32 A 12 A 40 A 50 A
Fuse Curve	AM GG
Fuse Size	14 x 51 mm
[Ue] Rated Operational Voltage	690 V AC
Mounting Support	35 mm symmetrical DIN rail
Locking Options Description	Non padlockable
9 Mm Pitches	6
Height	107 mm
Width	53 mm
Depth	70 mm
Connections - Terminals	Screw clamp terminals1 cable(s) 2.525 mm <sup>2</sup> rigid Screw clamp terminals1 cable(s) 2.525 mm <sup>2</sup> flexible
Tightening Torque	3.5 N.m

#### Environment

Standards	IEC EN 60947-3
Pollution Degree	3
Ambient Air Temperature For Operation	-2060 °C
Ambient Air Temperature For Storage	-4080 °C

# **Packing Units**

<b>O</b>	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.1 cm
Package 1 Width	5.3 cm
Package 1 Length	7.7 cm
Package 1 Weight	240.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	3
Package 2 Height	7.9 cm
Package 2 Width	11.3 cm
Package 2 Length	16.4 cm
Package 2 Weight	780.0 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	36
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	9.792 kg

### **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

V Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	EU RoHS Declaration China RoHS declaration
China Rohs Regulation	