


Product datasheet

Specifications



fuse holder - GK1 - 3 poles - 20 A -
for fuse NFC 8.5 x 31.5 mm

GK1CF

EAN Code: 3389110256215

❗ Discontinued

Main

Range	TeSys
Product name	TeSys GK1
Device short name	GK1 C
Fuse size	8.5 x 31.5 mm
Product or component type	Fuse holder
Poles description	3P
Network type	AC DC

Complementary

Network frequency	50/60 Hz
Control type	Toggle
Mounting support	Rail
[Ui] rated insulation voltage	480 V
[Ith] conventional free air thermal current	10 A 40 °C with aM cartridge fuses 20 A 40 °C with gG cartridge fuses 20 A 40 °C with tubular links
[Ipk] rated peak withstand current	8 kA with tubular links conforming to IEC 60269-1
Connections - terminals	Screw terminals 1 cable(s) 10 mm² flexible without cable end Screw terminals 1 cable(s) 10 mm² solid without cable end Screw terminals 2 cable(s) 6 mm² flexible without cable end Screw terminals 2 cable(s) 6 mm² solid without cable end
Tightening torque	1.2 N.m - on screw terminals
Operating position	+/- 23°
Height	81 mm
Width	52.5 mm
Depth	71.5 mm
Net weight	0.213 kg
Quantity per set	Set of 4

Environment

Standards	IEC 60947-3
Protective treatment	TC

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient air temperature for operation	-50...70 °C
---------------------------------------	-------------

Contractual warranty

Warranty (in months)	18
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Again

Repack and remanufacture	
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins