


# Product data sheet

Specifications



Auxiliary contact, TeSys GS, 1 C/  
O, 3P, 160A, fuse type DIN, size 0,  
for GS1 GS2 Blown fuse

GS1AF33

⚠ Discontinued

## Main

Range Of Product	TeSys
Device Short Name	GS1AF
Product Or Component Type	Auxiliary contact
Contact Application	Blown fuse signalling
Contacts Type And Composition	1 C/O
Contact Operation	Instantaneous
[Ith] Conventional Free Air Thermal Current	16 A (at 104 °F (40 °C))
[Ie] Rated Operational Current	12 A 24 V DC-13 2 A 48 V DC-13 3 A 400 V AC-15 4 A 230 V AC-15 0.4 A 220 V DC-13 0.6 A 110 V DC-13

## Complementary

Range Compatibility	TeSys TeSys GS fuse-switch disconnecter
Mechanical Durability	30000 cycles
Electrical Durability	30000 cycles AC-15
Product Compatibility	GS
Poles Description	3P
Switch Rated Current	160 A
Fuse Type	NFC DIN
Fuse Size	0
Net Weight	0.08 lb(US) (0.036 kg)

## Ordering and shipping details

Category	18402-WORLD SERVICE PARTS(CONTROL ACCESS)
Discount Schedule	CP10
Gtin	3389110563320
Returnability	No
Country Of Origin	FR

## Packing Units

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Unit Type Of Package 1</b>	PCE
<b>Number Of Units In Package 1</b>	1
<b>Package 1 Height</b>	1.46 in (3.7 cm)
<b>Package 1 Width</b>	3.74 in (9.5 cm)
<b>Package 1 Length</b>	5.94 in (15.1 cm)
<b>Package 1 Weight</b>	1.27 oz (36 g)
<b>Unit Type Of Package 2</b>	S01
<b>Number Of Units In Package 2</b>	20
<b>Package 2 Height</b>	5.91 in (15 cm)
<b>Package 2 Width</b>	5.91 in (15 cm)
<b>Package 2 Length</b>	15.75 in (40 cm)
<b>Package 2 Weight</b>	31.60 oz (896 g)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

**Reach Regulation**

[REACH Declaration](#)

**Eu Rohs Directive**

Compliant

[EU RoHS Declaration](#)

**China Rohs Regulation**

[China RoHS declaration](#)

**Environmental Disclosure**

[Product Environmental Profile](#)

**Circularity Profile**

[End of Life Information](#)

**California Proposition 65**

WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)